


EXHIBIT 3

ShareView 300

DESKTOP VIDEO COMMUNICATIONS

YOUR TIME IS VALUABLE.

ShareView™ 300 from ShareVision Technology™ can help you make the most of a diminishing resource: your time. Do you spend a lot of time in meetings, on the telephone and at the fax machine? Now you can spend less time getting your work done and obtain even better results. With ShareView 300 and your personal computer, you can simultaneously talk and collaborate on shared documents over one ordinary telephone line. Its unique collaboration features make it the best way to get your work done with others.



A COMPLETE SYSTEM. The ShareView 300 system includes software, a hands-free headset, a Communications Card with 14,400 bps fax/modem and all of the cables you will need to set-up and connect.

MORE VALUE FOR YOUR INVESTMENT. ShareView 300 includes a built-in high-speed fax/modem, so in addition to its powerful collaborative features, you can enjoy easy file transfer, automatic fax send and retrieval and convenient access to your favorite networks, services and servers.

When deadlines are imminent and meetings are impractical, ShareView 300 is the next best thing to being there.

FEATURES

Operates on a standard analog telephone line

Collaborative Document sharing

Collaborative Whiteboard with draw, paint and text tools

Audio recording

Phonebook

BENEFITS

Allows users to easily install and affordably use the system on readily available, existing telephone lines; the single line connection assures easy and inexpensive access, worldwide.

Allows users to work together, naturally and easily, on a shared document just as if they were meeting in the same room.

Users can spontaneously brainstorm together and display ideas graphically for more effective communication.

Allows users to record important ShareView 300 conversations for later review and to share with colleagues for improved communication and understanding; ShareView's technology allows 30 minutes of audio to be recorded on one 1.44 MB floppy disk.

File information about contacts, including photographs and ShareView Business Cards, so that it can be easily retrieved and used with ShareView.


 **ShareVision**

A subsidiary of Creative Technology, Ltd.

ShareView™ 300

Document Sharing

You can both work on the same document from popular Macintosh software applications. You have simultaneous control of the same shared window, so it's easy to edit, review and collaborate on documents with another ShareView user.



Screen-Based Telephone

ShareVision's software provides an intuitive telephone interface to make calls, keep phonebooks and monitor activity.

Shared Whiteboard

A Whiteboard makes meetings more productive. It's a better way to explain and understand complex concepts, brainstorm ideas, outline objectives. With the shared Whiteboard and tools it is easy to draw, point, outline or critique spontaneously.

SYSTEM SPECIFICATIONS

Audio	Speech Compression Algorithm Bandwidth	VATP™ (Vector Adaptive Transform Processing™) 4800 bps, dynamically allocated		
Modem	Communication Rate Data Operating Modes Modem Command Set Fax Mode	14400, 12000, 9600, 7200, 4800, 2400, 1200, 300 bps CCITT V.42, V.42bis, V.32, V.32bis, V.22, V.22bis, V.21 Bell212A, Bell103 Enhanced Hayes® AT command set Fax class1 (EIA/TIA 578), Fax class 2 (proposed: EIA/TIA 592) and Group 3 send and receive facsimile. Supports: V.29, V.27ter, V.21 Channel 2, V.17		
Power Requirement	ShareView Audio Card	14 Watts		
Mechanical	Item ShareView Audio Card	Card Type NuBus	Weight 0.5lb (0.25 Kg)	Dimensions 4" x 12.75" (10cm x 32.4 cm)
Environmental	Operating Temperature 50° to 104° F (10° to 40°C)	Humidity 30% to 90%	Storage Temperature 50° to 104° F (10° to 40°C)	
System Requirements	Apple® Macintosh II, IIcx, IIci, IIx, IIvx, Macintosh Centris™ 650, Macintosh Quadra™ 700, 800, 900, 950 and Performa™ 600 with System 7.01 or higher, 4MB of RAM. Additional RAM may be required for extensive collaboration. One NuBus slot is required for ShareView 300.			
Telephone Line Requirement	Standard analog telephone line with RJ-11 wall jack.			
Video Upgrade	A ShareView Video Upgrade is available which includes a ShareView Video Card, camera and cables necessary to add video capabilities to the standard ShareView 300 system.			
Sourcing Information	ShareView systems are available from authorized resellers. ShareVision Technology, Inc., 1901 McCarthy Boulevard, Milpitas, CA 95035 Tel: 408-428-0330 Fax: 408-428-9871.			

Sales inquiries: 800-998-1000

 **ShareVision**
A subsidiary of Creative Technology, Ltd.

ShareView 3000

DESKTOP VIDEO COMMUNICATIONS

A REAL MEETING OF THE MINDS.

ShareView™ 3000 from ShareVision Technology™ can help you make the most of the time you spend working with others. ShareView 3000 will help you to conveniently gain understanding and agreement because you won't always have to meet in person to communicate complex information accurately. With ShareView 3000 and your Macintosh,* you can simultaneously talk, see each other, and collaborate on shared documents over one ordinary telephone line. Its unique collaboration features make it the best way to get your work done with others.



CONVENIENT AND EFFECTIVE. ShareView 3000 is a completely integrated hardware and software solution that lets you work at your desk and communicate using video, voice, graphics and data anywhere in the world—over one single ordinary phone line. You will be able to get your ideas across and see someone's reaction immediately.

A COMPLETE SYSTEM. ShareView 3000 makes the Macintosh a command console for an extraordinary suite of two-way communications tools. Because ShareView 3000 works with standard software applications, there is no need to invest money or time learning something new.

MORE VALUE FOR YOUR INVESTMENT. ShareView 3000 includes a built-in high-speed fax/modem, so in addition to its powerful collaborative features, you can enjoy easy file transfer, automatic fax send and retrieval and convenient access to your favorite networks, services and remote e-mail.

When deadlines are imminent and meetings are impractical, ShareView 3000 is the next best thing to being there.

FEATURES

Operates on a standard analog telephone line

Live color video of both parties

Collaborative Document sharing

Collaborative Whiteboard with draw, paint and text tools

Audio and video recording

Snapshot

Phonebook

BENEFITS

Allows users to easily install and affordably use the system on readily available, existing telephone lines; the single line connection assures easy and inexpensive access, worldwide.

Users can share expressions and gestures to enhance communication and to simulate the affect of an in-person meeting.

Allows users to work together, naturally and easily, on a shared document—just as if they were meeting in the same room.

Users can spontaneously brainstorm together and display ideas graphically for more effective communication.

Allows users to record important ShareView 3000 conversations and video for later review and to easily distribute to others for improved communication and understanding; ShareView 3000 technology allows 10 minutes of video to be recorded on one 1.44 MB floppy disk.

Easily capture a high-resolution still-image from the video window to conveniently analyze, store, edit or distribute.

File information about contacts, including photographs and ShareView Business Cards, for quick reference and autodialing.

 **ShareVision**

A subsidiary of Creative Technology, Ltd.


ShareView™ 3000

Color Video Windows

You get important information from the gestures, the expressions, the nuances that voice-only communications don't convey. Your voice is synchronized with the transmitted video, so your conversation will be more natural. And for privacy, video and audio mute buttons.

Screen-Based Telephone

ShareVision's software provides an intuitive telephone interface to make calls, keep phonebooks and monitor activity.



Document Sharing

You can both work on the same document from popular Macintosh software applications. You have simultaneous control of the same shared window, so it's easy to edit, review and collaborate on documents with another ShareView user.

Shared Whiteboard

A Whiteboard makes meetings more productive. It's a better way to explain and understand complex concepts, brainstorm ideas, outline objectives. With the shared Whiteboard and tools it is easy to draw, point, outline or critique spontaneously.

SYSTEM SPECIFICATIONS

ShareView 3000 from ShareVision Technology is the first integrated system that has everything that Macintosh users need to communicate and collaborate in real time with video by using existing analog phone lines. A ShareView 3000 connection can be made with another ShareView 300 or ShareView 3000 system.

Color Video	Input	2 composite (NTSC) sources, software-selectable			
	Display Resolution (pixels x lines)	Scaleable: 96 x 80 to 192 x 150; 1) 96 x 80; 2) 128 x 106; 3) 192 x 150			
	Monitor Display Modes	Monochrome, gray-scale, 8, 16 and 24-bit color			
	Frame Rate	up to 15 fps			
	Snapshot Capture (pixels x lines)	Remote: 144 x 112; Local: 345 x 300			
	Snapshot Display (pixels x lines)	Remote: 288 x 224; Local: 345 x 300			
	Compression Algorithm	VATP™ (Vector Adaptive Transform Processing™)			
Audio	Speech Compression Algorithm	VATP			
	Bandwidth	4800 bps, dynamically allocated			
Modem	Communication Rate	14400, 12000, 9600, 7200, 4800, 2400, 1200, 300 bps			
	Data Operating Modes	CCITT V.42, V.42bis, V.32, V.32bis, V.22, V.22bis, V.21 Bell212A, Bell103			
	Modem Command Set	Enhanced Hayes® AT command set			
	Fax Mode	Fax class1 (EIA/TIA 578), Fax class 2 (proposed: EIA/TIA 592) and Group 3 send and receive facsimile. Supports: V.29, V.27ter, V.21 Channel 2, V.17			
Power Requirement	ShareView Video Card	14 Watts			
	ShareView Audio Card	14 Watts			
Camera and Lens	Type	Output	Base	Focus	Iris
	CCD Color	Composite, NTSC	Adjustable	Manual	Manual
Mechanical	Item	Card Type	Weight	Dimensions	
	ShareView Audio Card	NuBus	0.5lb (0.25 Kg)	4" x 12.75" (10cm x 32.4 cm)	
	ShareView Video Card	NuBus	1.5lb (0.7 Kg)	4" x 12.75" (10cm x 32.4 cm)	
	Camera and Lens		1.0 lb. (0.5Kg)	7.51" x 2.36" x 2.36" (19 cm x 6cm x 6cm)	
Environmental	Operating Temperature	Humidity	Storage Temperature		
	50° to 104° F (10° to 40°C)	30% to 90%	50° to 104° F (10° to 40°C)		
System Requirements	Apple® Macintosh II, IIcx, IIcl, IIx, IIvx, Macintosh Centris™ 650, Macintosh Quadra™ 700, 800, 900, 950 and Performa™ 600 with System 7.01 or higher, 4MB of RAM. Additional RAM may be required for extensive collaboration. Two NuBus slots are required for ShareView 3000.				
Telephone Line Requirement	Standard analog telephone line with RJ-11 wall jack.				
Sourcing Information	ShareView systems are available from authorized resellers. ShareVision Technology, Inc., 1901 McCarthy Blvd, Milpitas, CA 95035 Tel: 408-428-9871 Fax: 408-428-9871.				

Sales inquiries: 800-998-1000

 **ShareVision**
A subsidiary of Creative Technology, Ltd.

A REAL MEETING OF THE MINDS.

ShareView™ 3000 from ShareVision Technology™ can help you make the most of the time you spend working with others. ShareView 3000 will help you to conveniently gain understanding and agreement because you won't always have to meet in person to communicate complex information accurately. With ShareView 3000 and your Macintosh®, you can simultaneously talk, see each other, and collaborate on shared documents over one ordinary telephone line. Its unique collaboration features make it the best way to get your work done with others.



CONVENIENT AND EFFECTIVE. ShareView 3000 is a completely integrated hardware and software solution that lets you work at your desk and communicate using video, voice, graphics and data anywhere in the world—over one single ordinary phone line. You will be able to get your ideas across and see someone's reaction immediately.

A COMPLETE SYSTEM. ShareView 3000 makes the Macintosh a command console for an extraordinary suite of two-way communications tools. Because ShareView 3000 works with standard software applications, there is no need to invest money or time learning something new.

MORE VALUE FOR YOUR INVESTMENT. ShareView 3000 includes a built-in high-speed fax/modem, so in addition to its powerful collaborative features, you can enjoy easy file transfer, automatic fax send and retrieval and convenient access to your favorite networks, services and remote e-mail.

When deadlines are imminent and meetings are impractical, ShareView 3000 is the next best thing to being there.

FEATURES

Operates on a standard analog telephone line

Live color video of both parties

Collaborative Document sharing

Collaborative Whiteboard with draw, paint and text tools

Audio and video recording

Snapshot

Phonebook

BENEFITS

Allows users to easily install and affordably use the system on readily available, existing telephone lines; the single line connection assures easy and inexpensive access, worldwide.

Users can share expressions and gestures to enhance communication and to simulate the effect of an in-person meeting.

Allows users to work together, naturally and easily, on a shared document—just as if they were meeting in the same room.

Users can spontaneously brainstorm together and display ideas graphically for more effective communication.

Allows users to record important ShareView 3000 conversations and video for later review and to easily distribute to others for improved communication and understanding; ShareView 3000 technology allows 10 minutes of video to be recorded on one 1.44 MB floppy disk.

Easily capture a high-resolution still-image from the video window to conveniently analyze, store, edit or distribute.

File information about contacts, including photographs and ShareView Business Cards, for quick reference and autodialing.


DESKTOP VIDEO COMMUNICATIONS

Color Video Windows

You get important information from the gestures, the expressions, the nuances that voice-only communications don't convey. Your voice is synchronized with the transmitted video, so your conversation will be uninterrupted. And for privacy, video and audio mute buttons.

Screen-Based Telephone

ShareVision's software provides an intuitive telephone interface to make calls, keep phonebooks and monitor activity.



Document Sharing

You can both work on the same document from popular Macintosh software applications. You have simultaneous control of the same shared window, so it's easy to edit, review and collaborate on documents with another ShareView user.

Shared Whiteboard

A Whiteboard makes meetings more productive. It's a better way to explain and understand complex concepts, brainstorm ideas, outline objectives. With the shared Whiteboard and tools, it's easy to draw, point, outline or edit your screen instantly.

SYSTEM SPECIFICATIONS

ShareView 3000 from ShareVision Technology is the first integrated system that has everything that Macintosh users need to communicate and collaborate in real time with video by using existing analog phone lines. A ShareView 3000 connection can be made with another ShareView 300 or ShareView 3000 system.

Color Video	Input	2 composite (NTSC) sources, software-selectable			
	Display Resolution (pixels x lines)	Scalable: 640 x 480 to 1024 x 1536; 1196 x 900; 2112 x 1080; 2112 x 1536			
	Monitor Display Modes	Monochrome, gray-scale, 8, 16 and 24-bit color			
	Frame Rate	up to 15 fps			
	Snapshot Capture (pixels x lines)	Remote: 144 x 112; Local: 340 x 300			
	Snapshot Display (pixels x lines)	Remote: 288 x 224; Local: 340 x 300			
	Compression Algorithm	VATP™ (Vector Adaptive Transform Processing™)			
Audio	Speech Compression Algorithm	VATP			
	Bandwidth	4800 bps, dynamically allocated			
Modem	Communication Rate	14400, 12000, 9600, 7200, 4800, 2400, 1200, 300 bps			
	Data Operating Modes	CCITT V.42, V.42bis, V.32, V.32bis, V.22, V.22bis, V.21 Bell212A, Bell103			
	Modem Command Set	Enhanced Hayes® AT command set			
	Fax Mode	Fax class1 (EIA/TIA 578), Fax class 2 (Impressor® EIA/TIA 592) and Group 3 send and receive facsimile. Supports V.28, V.27ter, V.21 Channel 2, V.17			
Power Requirements	ShareView Video Card	14 Watts			
	ShareView Audio Card	14 Watts			
Camera and Lens	Type	Output	Focus	Iris	
	CCD Color	Composite, NTSC	Adjustable	Manual	Manual
Mechanical	Item	Card Type	Weight	Dimensions	
	ShareView Audio Card	NuBus	0.5lb (0.23 Kg)	4" x 12.75" (10cm x 32.4 cm)	
	ShareView Video Card	NuBus	1.5lb (0.7 Kg)	4" x 12.75" (10cm x 32.4 cm)	
	Camera and Lens		1.0 lb. (0.5Kg)	7.51" x 2.96" x 2.36" (19 cm x 6cm x 6cm)	
Environmental	Operating Temperature	Humidity	Storage Temperature		
	50° to 104° F (10° to 40°C)	30% to 90%	50° to 104° F (10° to 40°C)		
System Requirements	Apple® Macintosh II, IIfx, IIfx, IIfx, IIfx, Macintosh Classic™ 650, Macintosh Quadra™ 700, 600, 900, 950 and Performa™ 600 with System 7.01 or higher, 4MB of RAM. Additional RAM may be required for extensive collaboration. Two NuBus slots are required for ShareView 3000.				
Telephone Line Requirement	Standard analog telephone line with RJ-11 wall jack.				
Sourcing Information	ShareView systems are available from authorized resellers. ShareVision Technology, Inc. 1901 McCarthy Blvd, Milpitas, CA 95035 Tel: 408-428-8071 Fax: 408-428-8071				

Sales inquiries: 800-998-1000

ShareVision™
A subsidiary of Creative Technology, Ltd.


©1993 ShareVision Technology, Inc. All rights reserved. VATP, Vector Adaptive Transform Processing, and ShareVision are trademarks of ShareVision Technology, Inc. Apple and Macintosh are registered trademarks and QuickTime, Macintosh Classic, Macintosh Quadra, and Performa are trademarks of Apple Computer, Inc. There is a registered trademark of Creative Technology, Ltd. in the United Kingdom. ShareVision and its logo are trademarks of ShareVision Technology, Inc. All other trademarks are the property of their respective owners. PHS151000

Color Video Windows

You get important information from the gestures, the expressions, the nuances that voice-only communications don't convey. Your voice is synchronized with the transmitted video, so your conversation will be more natural. And for privacy, video and audio mute buttons

Screen-Based Telephone

ShareVision's software provides an intuitive telephone interface to make calls, keep phonebooks and monitor activity

**Document Sharing**

You can both work on the same document from popular Macintosh software applications. You have simultaneous control of the same shared window, so it's easy to edit, review and collaborate on documents with another ShareView user

Shared Whiteboard

A Whiteboard makes meetings more productive. It's a better way to explain and understand complex concepts, brainstorm ideas, outline objectives. With the Shared Whiteboard and tools it is easy to draw, paint, outline or outline sequentially

SYSTEM SPECIFICATIONS

ShareView 3000 from ShareVision Technology is the first integrated system that has everything that Macintosh users need to communicate and collaborate in real time with video by using existing analog phone lines. A ShareView 3000 connection can be made with another ShareView 300 or ShareView 3000 system.

Color Video	Input	2 composite (NTSC) sources, software-selectable			
	Display Resolution (pixels x lines)	Scalable: 96 x 80 to 192 x 150; 1) 96 x 80; 2) 128 x 106; 3) 192 x 150			
	Monitor Display Modes	Monochrome, gray-scale, 8, 16 and 24-bit color			
	Frame Rate	up to 15 fps			
	Snapshot Capture (pixels x lines)	Remote: 144 x 112; Local: 345 x 300			
	Snapshot Display (pixels x lines)	Remote: 288 x 224; Local: 345 x 300			
	Compression Algorithm	VATP™ (Vector Adaptive Transform Processing™)			
Audio	Speech Compression Algorithm	VATP			
	Bandwidth	4800 bps, dynamically allocated			
Modem	Communication Rate	14400, 12000, 9600, 7200, 4800, 2400, 1200, 300 bps			
	Data Operating Modes	CCITT V.42, V.42bis, V.32, V.32bis, V.22, V.22bis, V.21 Bell 212A, Bell 103			
	Modem Command Set	Enhanced Hayes® AT command set			
	Fax Mode	Fax class 1 (EIA/TIA 578), Fax class 2 (proposed EIA/TIA 592) and Group 3 send and receive facsimile. Supports: V.29, V.27ter, V.21 Channel 2, V.17			
Power Requirement	ShareView Video Card	14 Watts			
	ShareView Audio Card	14 Watts			
Camera and Lens	Type	Output	Base	Focus	Iris
	CCD Color	Composite, NTSC	Adjustable	Manual	Manual
Mechanical	Item	Card Type	Weight	Dimensions	
	ShareView Audio Card	NuBus	0.5lb (0.25 Kg)	4" x 12.75" (10cm x 32.4 cm)	
	ShareView Video Card	NuBus	1.5lb (0.7 Kg)	4" x 12.75" (10cm x 32.4 cm)	
	Camera and Lens		1.0 lb. (0.5Kg)	7.51" x 2.36" x 2.36" (19 cm x 6cm x 6cm)	
Environmental	Operating Temperature	Humidity	Storage Temperature		
	50° to 104° F (10° to 40°C)	30% to 90%	50° to 104° F (10° to 40°C)		
System Requirements	Apple® Macintosh II, IIcx, IIci, IIfx, IIfx, Macintosh Centris™ 650, Macintosh Quadra™ 700, 800, 900, 950 and Performa™ 600 with System 7.01 or higher, 4MB of RAM. Additional RAM may be required for extensive collaboration. Two NuBus slots are required for ShareView 3000.				
Telephone Line Requirement	Standard analog telephone line with RJ-11 wall jack.				
Sourcing Information	ShareView systems are available from authorized resellers. ShareVision Technology, Inc., 1901 McCarthy Blvd., Milpitas, CA 95035 Tel: 408-428-6671 Fax: 408-420-9071				

Sales inquiries: 800-998-1000

ShareVision®


A subsidiary of Creative Technology, Ltd.

©1993. All rights reserved. ShareVision Technology, VATP, Vector Adaptive Transform Processing, and ShareView are trademarks of ShareVision Technology, Inc. Apple and Macintosh are registered trademarks and QuickTime, Macintosh System, Macintosh Classic, and Performa are trademarks of Apple Computer, Inc. NuBus is a trademark of Texas Instruments. Specific names and features of ShareVision may change without prior notice. PN181022





With e-mail, you can't sit up and listen.






With a faxmodem, you can't speak your mind.





With a phone, you can't see the big picture.




With Intel ProShare™ Perso
do it all with simultaneous



nal Conferencing, you can
s sight, sound and screen.



PC Power. One-on-One Communications.



Introducing ProShare™ Personal Conferencing—a family of communications products that will revolutionize the way you work with others. By adding the power of your PC to your one-on-one communications, you'll be able to simultaneously share ideas. Even when you're far apart.

Eliminate the evils of communications.

See no message. Hear no message. Speak no message. Until now, communication tool limitations made it impossible to get your whole message across. But with Intel ProShare Personal Conferencing, you can communicate clearly through sight, sound and screen.

It's as easy as picking up your phone and turning on your PC. You and a colleague can discuss ideas and concepts while you interact in the same PC document.



Meetings can be held one-on-one, right at your desktop. And you'll get immediate feedback so you can make quicker decisions—whether you and your associate are across the hall. Or across the globe.

You and a colleague can interact simultaneously.

The family of ProShare products is designed to let you and a partner have dis-

cussions within any Windows® document. That means both of you can see changes and comments on your screens as they are made. Just copy your document onto the shared ProShare screen. Then pick any tool—pens,

Communication Tool Comparison Chart

Which communication tools let you share info and work together...	Overnight Mail	Phone	Fax, E-Mail	Room or Workstation Video Conf.	ProShare™ Personal Conferencing
From your PC			•		•
From your office		•	•		•
Within your dial	•		Limited	Limited	•
On your schedule		•	•		•
Interactively		Limited		•	•
Face-to-face in color				•	•
Audibly		•		•	•

highlighters, or pointers—to edit, emphasize and annotate while you discuss. You can type your comments right onto the shared screen. Write personal notes in your own private space. Update objects with OLE (Object Linking and Embedding). Even copy and paste from other documents. And you both see the changes simultaneously.

Take advantage of the power already on your desktop.

By having your meetings right at your desk, all the files and applications on your PC and the information in your office are immediately accessible. And because you'll use your existing PC and all your own Windows applications, you'll be working in an environment you're already familiar with.

Work together even if your colleague doesn't have ProShare software.

ProShare products let you communicate with anyone—whether they own ProShare software or not. A feature called Jump Start enables you to download ProShare software over a modem so your associate can accept a ProShare Personal Conferencing call. It's that easy. Just initiate the call with ProShare software, and you're ready to collaborate.

Enhance your document conferencing with video.

If you want to meet face-to-face, try the ProShare Personal Conferencing Video System. With video and audio added to document processing, you can communicate with all your powers of expression in order to fully make your point.

The images you'll see will be sharp and clear thanks to Intel's Indeo™ video compression technology. And the video system is interoperable with all ProShare products.

So you can get it now. Or start out with ProShare document conferencing and add video capabilities later.


ProShare Personal Conferencing works with established technology.

With ProShare products, you can connect with an associate over a LAN, telephone line, or Integrated Services Digital Network (ISDN) line.† So ProShare conferencing works with technologies that are established and available.


ProShare products use a familiar Windows interface. The video products take advantage of Indeo technology, so you can record high-quality video to your hard disk or play and record Windows business audio (.WAV). And since ProShare products take advantage of these as well as other PC standards, you can start using personal conferencing immediately with the technology you have—and will have in the future.

Try ProShare software FREE for 60 days.


We'll send you a free Time-Out version just for the asking. See the back panel for details. And call 1-800-538-3373, ext. 183.



Interact simultaneously within a shared ProShare screen.



Update OLE-enabled objects easily.



Upgrade easily to video capabilities.

intel®

†An ISDN line is required for video conferencing only. Check with your local phone company for availability.



The ProShare family of personal conferencing products includes a range of features to fit your needs and budget, from document conferencing to more full-featured video systems. And all ProShare products have a built-in growth path, so you can start with just document conferencing and add video later. All levels have a common user interface and will interact smoothly with other ProShare products.

The safe choice because it's from Intel.

With PC technology, tremendous strides have been made in the way you work. And at Intel, we want to extend that technology into advancing the way

you communicate with others. By establishing industry standards, advancing personal conferencing technologies and creating alliances with domestic and international communications leaders, we're ready to pave the way for the next technological revolution—the Personal Conferencing revolution.

ProShare Personal Conferencing	System Requirements	Connection Requirements
Standard Edition Software <ul style="list-style-type: none"> On-screen multi-page notebook Document import and snapshot Mark-up tools Jump Start Shared OLE Save and print Works with any Windows application 	<ul style="list-style-type: none"> 386-based PC (or higher) 4MB RAM (8MB recom.) 8MB hard disk space DOS 3.3 plus Windows 3.1 (or higher) VGA or higher monitor 	<ul style="list-style-type: none"> Novell Netware 3.11 or greater, NetBIOS (e.g. Windows for Workgroups 3.x, LANtastic 5.0) OR 9600 bps modem (or higher) 2 phone lines (1 for data, 1 for voice)
Video System 200 <ul style="list-style-type: none"> All features above PLUS Audio and video recording Capture and share high-res stills Simultaneous local/remote view windows Wide-angle/close-up video option Sleek camera and unobtrusive earpiece with microphone Analog video playback capability 	<ul style="list-style-type: none"> 486-based PC (or higher) 8MB RAM 7MB hard disk space Windows 3.1 VGA/SVGA with 256 colors (or higher) 	<ul style="list-style-type: none"> Basic rate ISDN phone line—2B channels and 1D channel S/T interface or U interface with NT-I converter Modem required to use Jump Start Modem required for personal conferencing without video



Try ProShare™ document conferencing software FREE for 60 days. We'll send you a free Time-Out version or more information. Call 1-800-538-3373, ext. 183.



intel®

When the architect in
Boston showed her drawings
via computer to the client in
Seattle, he looked puzzled
until she walked him through
each room.

Now you can, too.

Introducing AT&T WORLDWORX™ Solutions:
video, voice and instantaneous data sharing.

It's simple to use. It's affordable. And
it enables you
to collaborate on
everything from spreadsheets to word proc-
essing to design. Because you'll not only see
and hear each other, you'll be able to work
on the same document at the same time, just

as if you were sitting next to each other in-
stead of across the country. So you'll be able
to save time and make decisions faster. Which
could be the business advantage you've been
waiting for.

So whatever your business, find out how
AT&T WORLDWORX Solutions can help you trans-
form the way you work with other people.

Just call us at 1 800 828-WORX.

AT&T WORLDWORX™ Solutions:
Changing the way people work...together.



© 1994 AT&T
WORLDWORX is a registered trademark of AT&T

PUBLISHED BY
Microsoft Press
A Division of Microsoft Corporation
One Microsoft Way
Redmond, Washington 98052-6399

Copyright © 1997 by Microsoft Corporation

All rights reserved. No part of the contents of this book may be reproduced or transmitted in any form or by any means without the written permission of the publisher.

Library of Congress Cataloging-in-Publication Data
Microsoft Press Computer Dictionary. -- 3rd ed.

p. cm.

ISBN 1-57231-446-X

1. Computers--Dictionaries. 2. Microcomputers--Dictionaries.

I. Microsoft Press.

QA76.15.M54 1997

004'.03--dc21

97-15489

CIP

Printed and bound in the United States of America.

2 3 4 5 6 7 8 9 QMQM 2 1 0 9 8 7

Distributed to the book trade in Canada by Macmillan of Canada, a division of Canada Publishing Corporation.

A CIP catalogue record for this book is available from the British Library.

Microsoft Press books are available through booksellers and distributors worldwide. For further information about international editions, contact your local Microsoft Corporation office. Or contact Microsoft Press International directly at fax (425) 936-7329.

Macintosh, Power Macintosh, QuickTime, and TrueType are registered trademarks of Apple Computer, Inc. Intel is a registered trademark of Intel Corporation. DirectInput, DirectX, Microsoft, Microsoft Press, MS-DOS, Visual Basic, Visual C++, Win32, Win32s, Windows, Windows NT, and XENIX are registered trademarks and ActiveMovie, ActiveX, and Visual J++ are trademarks of Microsoft Corporation. Java is a trademark of Sun Microsystems, Inc. Other product and company names mentioned herein may be the trademarks of their respective owners.

Acquisitions Editor: Kim Fryer

Project Editor: Maureen Williams Zimmerman, Anne Taussig

Technical Editors: Dail Magee Jr., Gary Nelson, Jean Ross, Jim Fuchs, John Conrow, Kurt Meyer, Robert Lyon, Roslyn Lutsch

point

row and column numbers. **3.** A location in a geometric form, represented by two or more numbers that constitute its coordinates.

point \point\ *vb.* To move an arrow or other such indicator to a particular item or position on the screen by using direction keys or by maneuvering a pointing device such as a mouse.

point-and-click \point'ənd-klik\ *adj.* Enabling a user to select data and activate programs by using a mouse or other pointing device to move a cursor to a desired location ("point") and pressing a button on the mouse or other pointing device ("click").

PointCast \point'kast\ *n.* An Internet service that delivers and displays a personalized set of news articles to individual users. Unlike the World Wide Web and other Internet applications, PointCast is a *push* technology, where the server automatically uploads data without a specific command from the client. *See also* server (definition 2).

point chart \point'čart\ *n.* *See* scatter diagram.

point diagram \point' dī'ə-gram\ *n.* *See* scatter diagram.

pointer \poin'tər\ *n.* **1.** In programming and information processing, a variable that contains the memory location (address) of some data rather than the data itself. *See also* address¹ (definition 1), handle (definition 1), reference¹. **2.** *See* mouse pointer.

pointing device \poin'tēng də-vīs\ *n.* An input device used to control an on-screen cursor for such actions as "pressing" on-screen buttons in dialog boxes, choosing menu items, and selecting ranges of cells in spreadsheets or groups of words in a document. A pointing device is often used to create drawings or graphical shapes. The most common pointing device is the mouse, which was popularized by its use with the Apple Macintosh. Other pointing devices include graphics tablets, styluses, light pens, joysticks, pucks, and trackballs. *See also* graphics tablet, joystick, light pen, mouse, puck, stylus, trackball.

point listing \point' li'stēng\ *n.* A database of popular Web sites categorized by topics of interest and often rated by design and content.

point of presence \point' əv prez'əns\ *n.* **1.** A point in a wide area network to which a user can

connect with a local telephone call. **2.** A point at which a long distance telephone carrier connects to a local telephone exchange or to an individual user. *Acronym:* POP (pop).

point of sale \point' əv sāl\ *n.* *See* POS.

point-to-point configuration \point'tə-point' kən-fi'gyur-ā'shən\ *n.* A communications link in which dedicated links exist between individual origins and destinations, as opposed to a point-to-multipoint configuration, in which the same signal goes to many destinations (such as a cable TV system), or a switched configuration, in which the signal moves from the origin to a switch that routes the signal to one of several possible destinations.

Point-to-Point Protocol \point'tōō-point prō'tə-kol\ *n.* *See* PPP.

Point-to-Point Tunneling Protocol \point'tə-point' tun'əl-ēng prō'tə-kol\ *n.* A specification for virtual private networks in which some nodes of a local area network are connected through the Internet. *Acronym:* PPTP (P'P-T-P). *See also* virtual network.

Poisson distribution \pwo-sōn' dis-trə-byōō'shən\ *n.* A mathematical curve often used in statistics and simulation to represent the likelihood of some event occurring, such as the arrival of a customer in a queue, when the average likelihood is known. This distribution, named after the French mathematician S. D. Poisson, is simpler to calculate than the normal and binomial distributions. *See also* binomial distribution, normal distribution.


poke \pök\ *vb.* To store a byte into an absolute memory location. PEEK (read a byte from memory) and POKE commands are often found in programming languages, such as Basic, that do not normally allow access to specific memory locations.

polar coordinates \pō'lər kō-ōr'də-nəts\ *n.* Coordinates of the form (r , θ) used to locate a point in two dimensions (on a plane). The polar coordinate r is the length of the line that starts at the origin and ends at the point, and θ (Greek theta) is the angle between that line and the positive x -axis. *Compare* Cartesian coordinates.

polarity \pō-lār'ə-tē, pə-lār'ə-tē\ *n.* The sign of the potential (voltage) difference between two points in a circuit. When a potential difference

polarity

PC Power. One-on-One Communications.



Introducing ProShare™ Personal Conferencing—a family of communications products that will revolutionize the way you work with others. By adding the power of your PC to your one-on-one communications, you'll be able to simultaneously share ideas. Even when you're far apart.

Eliminate the evils of communications.

See no message. Hear no message. Speak no message. Until now, communication tool limitations made it impossible to get your whole message across. But with Intel ProShare Personal Conferencing, you can communicate clearly through sight, sound and screen.

It's as easy as picking up your phone and turning on your PC. You and a colleague can discuss ideas and concepts while you interact in the same PC document.



Meetings can be held one-on-one, right at your desktop. And you'll get immediate feedback so you can make quicker decisions—whether you and your associate are across the hall. Or across the globe.

You and a colleague can interact simultaneously.

The family of ProShare products is designed to let you and a partner have dis-

cussions within any Windows® document. That means both of you can see changes and comments on your screens as they are made. Just copy your document onto the shared ProShare screen. Then pick any tool—pens,

Communication Tool Comparison Chart

Which communication tools let you share info and work together.	Overnight Mail	Phone	Fax, E-Mail	Room or Workstation Video Conf.	ProShare™ Personal Conferencing
From your PC			•		•
From your office		•			•
With your data	•		Limited	Limited	•
On your schedule		•			•
Interactively		Limited		•	•
Face-to-face in color				•	•
Audibly		•		•	•

highlighters, or pointers—to edit, emphasize and annotate while you discuss. You can type your comments right onto the shared screen. Write personal notes in your own private space. Update objects with OLE (Object Linking and Embedding). Even copy and paste from other documents. And you both see the changes simultaneously.

Take advantage of the power already on your desktop.

By having your meetings right at your desk, all the files and applications on your PC and the information in your office are immediately accessible. And because you'll use your existing PC and all your own Windows applications, you'll be working in an environment you're already familiar with.

Work together even if your colleague doesn't have ProShare software.

ProShare products let you communicate with anyone—whether they own ProShare software or not. A feature called Jump Start enables you to download ProShare software over a modem so your associate can accept a ProShare Personal Conferencing call. It's that easy. Just initiate the call with ProShare software, and you're ready to collaborate.

Enhance your document conferencing with video.

If you want to meet face-to-face, try the ProShare Personal Conferencing Video System. With video and audio added to document processing, you can communicate with all your powers of expression in order to fully make your point.


The images you'll see will be sharp and clear thanks to Intel's Indeo™ video compression technology. And the video system is interoperable with all ProShare products.

So you can get it now. Or start out with ProShare document conferencing and add video capabilities later.


ProShare Personal Conferencing works with established technology.

With ProShare products, you can connect with an associate over a LAN, telephone line, or Integrated Services Digital Network (ISDN) line.[†] So ProShare conferencing works with technologies that are established and available.


ProShare products use a familiar Windows interface. The video products take advantage of Indeo technology, so you can record high-quality video to your hard disk or play and record Windows business audio (.WAV). And since ProShare products take advantage of these as well as other PC standards, you can start using personal conferencing immediately with the technology you have—and will have in the future.



Interact simultaneously within a shared ProShare screen.



Update OLE-enabled objects easily.



Upgrade easily to video capabilities.

Try ProShare software FREE for 60 days.

We'll send you a free Time-Out version just for the asking. See the back panel for details. And call 1-800-538-3373, ext. 183.

intel®



you communicate with our customers. By establishing industry standards, advancing personal conferencing technologies and creating alliances with domestic and international communications leaders, we're ready to pave the way for the next technological revolution—the Personal Conferencing revolution.

The ProShare family of personal conferencing products includes a range of features to fit your needs and budget, from document conferencing to more full-featured video systems. And all ProShare products have a built-in growth path, so you can start with just document conferencing and add video later. All levels have a common user interface and will interact smoothly with other ProShare products.

The safe choice because it's from Intel.

With PC technology, tremendous strides have been made in the way you work. And at Intel, we want to extend that technology into advancing the way

ProShare Personal Conferencing	System Requirements	Connection Requirements
Standard Edition Software <ul style="list-style-type: none"> On-screen multi-page notebook Document import and snapshot Mark-up tools Jump Start Shared OLE Save and print Works with any Windows application 	<ul style="list-style-type: none"> 386-based PC (or higher) 4MB RAM (8MB recom.) 8MB hard disk space DOS 3.3 plus Windows 3.1 (or higher) VGA or higher monitor 	<ul style="list-style-type: none"> Novell Netware 3.11 or greater, NetBIOS (e.g. Windows for Workgroups 3.x, LANtastic 5.0) OR 9600 bps modem (or higher) 2 phone lines (1 for data, 1 for voice)
Video System 200 <ul style="list-style-type: none"> All features above PLUS Audio and video recording Capture and share high-res stills Simultaneous local/remote view windows Wide-angle/close-up video option Sleek camera and unobtrusive earpiece with microphone Analog video playback capability 	<ul style="list-style-type: none"> 486-based PC (or higher) 8MB RAM 7MB hard disk space Windows 3.1 VGA/SVGA with 256 colors (or higher) 	<ul style="list-style-type: none"> Basic rate ISDN phone line—2B channels and 1D channel S/T interface or U interface with NT-1 converter Modem required to use Jump Start Modem required for personal conferencing without video



Try ProShare™ document conferencing software FREE for 60 days. We'll send you a free Time-Out version or more information. Call 1-800-538-3373, ext. 183.



intel®